



# PRODUCT UPDATE

Number 17

## New British Standard Port (BSP) Options

BSP ports are now available on many of our most popular pump models. These ports are commonly used in Europe and consist of a straight thread and seal with a gasket, o-ring, or metal-to-metal contact. BSP ports are easier to seal than NPT and some mating fittings utilize a nut allowing for easy orientation of plumbing connections. The table below summarizes the new volute part numbers and availability on pumps:

Pump Series	BSP Volute	Replaces Volute	How to Order
FMC-HYD PTOC FMC FMC-MAG-D	<b>BAC-12-BSP</b> Inlet: 1-1/4" BSPP Outlet: 1" BSPP	BAC-12	FMC-BSP-HYD-204 PTOC-BSP-600-QC ...
FMC-150-HYD PTOC-150 FMC-150 FMC-150-MAG-D	<b>BAC-12-150-BSP</b> Inlet: 1-1/2" BSPP Outlet: 1-1/4" BSPP	BAC-12-150 BAC-12-150-FLG	FMC-150BSP-HYD-206 PTOC-150BSP-600-B ...
FMC-200-HYD FMC-200 FMC-200-MAG-D	<b>7AC-14-CCW-BSP</b> Inlet: 2" BSPP Outlet: 1-1/2" BSPP	7AC-14-CCW 7AC-14-CCW-FLG	FMC-200BSP-HYD-304 FMC-200BSP-MAG-D ...

Pump part numbers contain "BSP" in the volute designation. See examples in the How to Order column above.

BSP volutes are interchangeable on existing pumps with volutes listed in the table above.

The ports are machined per ISO 1179-1 specifications.

